

BHIOR AP 30-45
AM 25-40

BHIOR®
Smart Cleaning



BHIOR Smart Cleaning

Equipos de limpieza
profesional

AP 30-45
AM 25-40

www.bhior.com

Aspirador profesional polvo-liquido

AP 30-45 & AM 25-40 -Aspiradora profesional polvo-liquido

- Manejable, fácil de mover
 - Super silencioso y compacto (SP 30 DRY, SM 25 DRY)
 - Ideal para su uso en entornos como: pequeñas oficinas, hogares, garajes, tiendas, almacenes, etc.
 - Equipamiento necesario para todas las empresas de limpieza
 - Incluyen kits de accesorios profesionales y filtros para limpiar suelos, pequeños rincones y grietas de difícil acceso, interiores de automóviles y muchas otras zonas diferentes
 - La mayoría de los modelos están disponibles con depósito de plástico resistente a los golpes o con depósito de acero inoxidable AISI 430.
 - Base de vacío montada sobre cuatro robustas ruedas para mayor estabilidad
 - Ruedas de goma que no dejan marcas
 - Parachoques de goma para protección contra impactos contra paredes y muebles para modelos con tambor de acero inoxidable
- *Easy to handle, easy to move, self-contained units.*
 - *Super silent compact dry models (SP 30 DRY, SM 25 DRY)*
 - *Ideal for use in environments such as: small offices, workshops, homes, garages, stores, warehouses, etc.*
 - *Necessary equipment for all cleaning companies*
 - *Include professional attachment kits and filters, for cleaning of floors, upholstery, small corners and crevices, hard to reach places, car interiors, and many other diverse areas*
 - *Most models are available with either a shock-proof plastic tank, or a stainless steel AISI 430 tank*
 - *Mounted on sturdy wheel base for extra stability*
 - *Non-marking rubber wheels*
 - *Rubber bumper for wall and furniture protection on stainless steel models*

AP 30

AP 45

AM 40

AM 25



ACCESORIOS INCLUIDOS / SUPPLIED ACCESSORIES

	N°	MOD.	COD.	DESCRIPCIÓN - DESCRIPTION
	1	AP 30 - AM 25 (Todos - All)	004.317	Manguera completa de 36 mm de diámetro (l= 1,8 m) Flexible hose diam.36 mm complete (l= 1,8 m)
	2	AP 30 - AM 25 (Todos - All)	004.404*	Extensión de acero de 36 mm de diámetro (2 piezas) Extension tubes (2 pieces), steel diam.36 mm
	3	AP 30 - AM 25 (Todos - All)	004.399	Cepillo combinado diam.36 mm Combination brush diam.36 mm
	4	AP 30 - AM 25 (Todos - All)	004.400	Lanza plana diam.36 mm Crevice tool diam.36 mm
	5	AP 30 - AM 25 (Todos - All)	004.402	Cepillo diam.36 mm Round brush diam.36 mm
	6	AP 30 - AM 25 (Todos - All)	004.401	Bocchettina diam.36 mm Upholstery tool diam.36 mm
	7	AP 30 - AM 25 (no seco)	004.319	Ventosa liquidi diam.36 mm Squeegee floor tool diam.36 mm
	1	AP 45 - AM 40	004.329	Manguera completa de 40 mm de diámetro (l= 3 m) Flexible hose diam.40 mm complete (l= 3 m)
	2	AP 45 - AM 40	004.046	Doble codo de acero diam.40 mm Double-elbow steel tube, diam.40 mm
	3	AP 45 - AM 40	004.331	Cepillo de cerdas "S" diam.40 mm Brush floor tool "S" diam.40 mm
	4	AP 45 - AM 40	004.326	Ventosa para líquidos diam.40 mm Squeegee floor tool diam.40 mm
	5	AP 45 - AM 40	004.421	Lanza plana diam.40 mm Crevice tool diam.40 mm
	6	AP 45 - AM 40	004.088	Cepillo diam.40 mm Round brush diam.40 mm
		Todos - All	004.424	Filtro de poliéster con anillo portafiltro Polyester filter with support ring
		AP 30 - AM 25 (NO SECO) AP 45 - AM 40	004.410	Filtro de esponja Sponge filter
		SP 30 DRY - SP 30 - SM 25 DRY - SM 25	004.321	Filtro de bolsa Super Super filter bag
		SP 45 - SM 40	004.335	


* Codice riferito a 1 singolo pezzo - Code referred to 1 single piece

ACCESORIOS A PETICIÓN/ ACCESSORIES ON DEMAND

CARTUCHO DE FILTRO POLIÉSTER CLASE M CARTRIDGE POLYESTER FILTER CLASS	FILTRO HEPA CLASE H13 HEPA FILTER CLASS H13	FILTRO DE NYLON NYLON FILTER
		
Mod. Todos-All Cod. 004.387	Mod. Todos-All Cod. 004.437	Mod. Todos-All Cod. 004.180

AP 30-45 & AM 25-40 -Aspiradora profesional polvo-liquido

FILTRO DE CALOR HEAT-RESISTANT FILTER	KIT DE HORNO OVEN KIT
	
Mod. AM 25 DRY - AM 25 - AM 40 Cod. 004.346	Mod. AM 25 DRY - AM 25 - AM 40 Cod. 004.332



PESOS Y DIMENSIONES DE LA MÁQUINA WEIGHTS AND DIMENSIONS MACHINE					PAQUETE PACKAGING			
MOD	A	B	C	Neto/Net	X	Y	H	Bruto/ Gross
	[mm]	[mm]	[mm]	[kg]	[mm]	[mm]	[mm]	[kg]
AP 30	430	430	518	9,2	474	474	580	10,8
AM 25	430	430	518	9,7	474	474	580	11,3
AP 45	430	430	720	10,7	474	474	760	12,3
AM 40	430	430	720	11,4	474	474	760	13

		AP 30 DRY*	AP 30	AP 45	AM 25 SECO*	AM 25	AM 40
potencia max. - max. power	[W]	● 1.000	● 1.000	● 1.000	● 1.000	● 1.000	● 1.000
suministro eléctrico - power supply	[V - ph - HZ]	230-1-50/60	230-1-50/60	230-1-50/60	230-1-50/60	230-1-50/60	230-1-50/60
tipo de motor - motor type		TF	BP	BP	TF	BP	BP
elevación de agua - water lift	[mm H ₂ O]	2.200	2.200	2.200	2.200	2.200	2.200
flujo de aire - air flow	[m ³ /h]	198	198	198	198	198	198
volumen del tanque - tank volume	[l]	30	30	45	25	25	40
material del tanque - tank material		PE HD	PE HD	PE HD	SS 430	SS 430	SS 430
nivel de ruido - noise level	[dBA]	62	65	65	62	65	65
kit de accesorios - attachments kit	[mm]	36 DRY	36 WD	40	36 DRY	36 WD	40
longitud del cable eléctrico - electric cable lenght	[m]	7	7	7	7	7	7

* AP30 DRY - AM25 DRY: sólo para polvo. No líquidos - AP30 DRY - AM25 DRY: just for dust. No liquids.

TF = Bifásico con refrigeración directa - 2 stage with direct cooling

BP = Bi-etapa con refrigeración bypass - 2 stage with bypass cooling

PP = polipropileno - polypropylene

SS 430 = Acero inoxidable AISI 430 - Stainless steel AISI 430

PE HD = Polietileno de alta densidad - High density polyethylene



BHIOR INDUSTRIES EUROPE

Calle Júpiter, 9 - Polígono Industrial de Fortuna I

30620 Fortuna - Murcia - España

Tlf. +34 868 994 367

info@bhior.com

www.bhior.com

